

**Safety Data Sheet**  
Ice Machine Cleaner

**SECTION I - IDENTIFICATION**

**PRODUCT NAME:** Ice Machine Cleaner  
**PRODUCT CODE:** 100735000  
**PRODUCT USE:** Ice Machine Cleaner  
**COMPANY NAME:** Manitowoc Foodservice  
**COMPANY ADDRESS:** P.O. Box 091460 Milwaukee, WI 52309  
**COMPANY PHONE:** 920-683-7670  
**EMERGENCY PHONE:** 800-255-3924

**SECTION II – HAZARDS IDENTIFICATION**

**CLASSIFICATION:** Skin Corrosive: Category 1C

Eye Damage: Category 1

Corrosive to Metals

**HAZARD STATEMENT(S): DANGER:** Causes Severe skin burns and eye damage. May be corrosive to metals.

This product contains the following percentage of chemicals of unknown toxicity: 0.0%

**PRECAUTIONARY STATEMENTS:** Do not breathe mists. Wash hands thoroughly after handling. Wear protective gloves, eye protection, and protective clothing. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents and container in accordance with local, state, and national regulations. Keep only in original container. Absorb spillage to prevent material damage. Store in a corrosive resistant container with a resistant inner liner.



SYMBOL:

**HAZARDS NOT OTHERWISE CLASSIFIED:** N/A

**SECTION III – COMPOSITION/INFORMATION ON INGREDIENTS**

HAZARDOUS INGREDIENT	CAS NUMBER	PERCENT
Phosphoric Acid	7664-38-2	15-40%
Hydroxyacetic Acid (Glycolic Acid)	79-14-1	10-30%

**SECTION IV - FIRST AID MEASURES**

**EYES:** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

**INGESTION:** If swallowed: Rinse mouth. Do NOT induce vomiting. Get medical advice or attention.

**INHALATION:** If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell.

**SKIN:** If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

**ACUTE HEALTH HAZARDS:** Causes severe burns.

**CHRONIC HEALTH HAZARDS:** Dermatitis may occur due to long-term irritation.

**NOTE TO PHYSICIAN:** There is no specific treatment regimen. Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.

**SECTION V – FIRE-FIGHTING MEASURES**

**EXTINGUISHING MEDIA:** Dry chemical, carbon dioxide, and foam.

**UNSUITABLE EXTINGUISHING MEDIA:** N/A

**SPECIAL FIRE FIGHTING PROCEDURES:** Wear SCBA in fire situations.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** N/A

**HAZARDOUS COMBUSTION PRODUCTS:** Oxides of carbon and phosphorus.

**Safety Data Sheet**  
Ice Machine Cleaner

**SECTION VI – ACCIDENTAL RELEASE MEASURES**

**PERSONAL PROTECTIVE EQUIPMENT:** Refer to section VIII for proper Personal Protective Equipment.

**SPILL:** Contain the spill with the use of dikes. Neutralize the spill in place with an alkaline material. Absorb spill with non-combustible material such as vermiculite, sand or earth.

**WASTE DISPOSAL:** Dispose of in accordance with local, state and federal regulations.

**RCRA STATUS:** Waste likely considered Hazardous Waste D002 (Corrosive waste) due to the pH of the solution and the corrosive characteristic.

**SECTION VII – HANDLING AND STORAGE**

**HANDLING AND STORAGE:** Keep only in original container. Store in a corrosive resistant container with a resistant inner liner. Store locked up.

**OTHER PRECAUTIONS:** Store away from caustic / alkaline materials.

**INCOMPATIBILITY:** Alkaline Materials. Caustics.

**SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION**

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
Phosphoric Acid	1 mg/m <sup>3</sup>	1 mg/m <sup>3</sup>
Hydroxyacetic Acid (Glycolic Acid)	3 mg/m <sup>3</sup>	3 mg/m <sup>3</sup>

**ENGINEERING CONTROLS / VENTILATION:** Local ventilation/exhaust recommended.

**RESPIRATORY PROTECTION:** Wear NIOSH/MSHA approved organic vapor respiratory protection if listed exposure limits (section VIII) are exceeded.

**PERSONAL PROTECTIVE EQUIPMENT:** Wear acid-resistant gloves, eye protection, and protective clothing.

**ADDITIONAL MEASURES:** Wash hands thoroughly after handling. Do not breathe vapors. Do not eat, drink, or smoke while using product. Get medical attention if you feel unwell.

**SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE:** Colorless Liquid

**ODOR:** Odorless

**ODOR THRESHOLD:** N/D

**BOILING POINT:** > 212°F (100°C)

**FREEZING POINT:** N/D

**FLAMMABILITY:** Not considered a flammable liquid by OSHA (29CFR 1910.1200)

**FLASH POINT:** N/D

**LOWER FLAMMABILITY LIMIT:** N/D

**UPPER FLAMMABILITY LIMIT:** N/D

**VAPOR PRESSURE (mm Hg):** Same as water.

**VAPOR DENSITY (AIR=1):** 1

**EVAPORATION RATE:** < 0.8 (Slow)

**SPECIFIC GRAVITY (H<sub>2</sub>O=1):** 1.2

**pH:** 1-2

**SOLIDS (%):** N/D

**SOLUBILITY IN WATER:** 100%

**PARTITION COEFFICIENT: n-OCTANOL/WATER (K<sub>ow</sub>):**

**VOLATILITY INCLUDING WATER (%):** > 80%

**VOLATILE ORGANIC COMPOUNDS (VOC):** 0%

**DECOMPOSITION TEMPERATURE:** N/D

**VISCOSITY:** N/D

**SECTION X – STABILITY AND REACTIVITY DATA**

**REACTIVITY:** Iron, Some steel alloys, caustics/alkali materials

**CHEMICAL STABILITY:** Stable

**Safety Data Sheet**  
**Ice Machine Cleaner**

**CONDITIONS TO AVOID:** None known

**INCOMPATIBILITY:** Alkaline Materials. Caustics.

**HAZARDOUS DECOMPOSITION OR BY-PRODUCT:** Oxides of carbon and phosphorus.

**POSSIBLE HAZARDOUS REACTIONS:** None Known

**SECTION XI – TOXICOLOGICAL INFORMATION**

**TOXICOLOGICAL INFORMATION:** **Phosphoric Acid** (7664-38-4) LD<sub>50</sub> (Oral, Rat) 4,400 mg/kg; LD<sub>50</sub> (Dermal, Rabbit) > 3,160 mg/kg **Hydroxyacetic Acid** (79-14-1) LD<sub>50</sub> (Oral, Rat) 1950 mg/kg; (Oral, Guinea Pig) 1920 mg/kg; LC<sub>50</sub> (Inhalation, Rat, 4hrs) 7 mg/m<sup>3</sup>

**ROUTES OF ENTRY:** Eyes, Ingestion, Inhalation, Skin

**EYES:** Causes immediate irritation and burning followed by destruction of eye tissue.

**INGESTION:** Corrosive to gastrointestinal tract. May cause gastrointestinal irritation, nausea, vomiting, loss of consciousness.

**INHALATION:** Corrosive to respiratory passages. May cause coughing, wheezing, laryngitis, shortness of breath, headache, or nausea.

**SKIN:** Immediate inflation and burning followed by destruction of skin tissue.

**MEDICAL CONDITION AGGRAVATED:** May aggravate pre-existing medical conditions.

**ACUTE HEALTH HAZARDS:** Causes severe burns.

**CHRONIC HEALTH HAZARDS:** Dermatitis may occur due to long-term irritation.

**CARCINOGENICITY:** OSHA: No ACGIH: No NTP: No IARC: No OTHER: N/A

**SECTION XII – ECOLOGICAL INFORMATION**

**ECOLOGICAL INFORMATION:** Dangerous to aquatic life in high concentrations.

**BIODEGRADABILITY:** This product is biodegradable.

**BIOACCUMULATION:** This product is not expected to bioaccumulate.

**SOIL MOBILITY:** This product is mobile in soil.

**OTHER ECOLOGICAL HAZARDS:** N/A

**SECTION XIII – DISPOSAL CONSIDERATIONS**

**WASTE DISPOSAL:** Dispose of in accordance with local, state and federal regulations.

**RCRA STATUS:** Waste likely considered Hazardous Waste D002 (Corrosive waste) due to the pH of the solution and the corrosive characteristic.

**SECTION XIV - TRANSPORTATION INFORMATION**

**PROPER SHIPPING NAME:** Corrosive Liquid, N.O.S. (Phosphoric Acid and Glycolic Acid), Ltd. Qty.

**HAZARD CLASS/DIVISION:** 8

**UN/NA NUMBER:** UN 1760

**PACKAGING GROUP:** III

**AIR SHIPMENT**

**PROPER SHIPPING NAME:** Corrosive Liquid, N.O.S. (Phosphoric Acid and Glycolic Acid)

**HAZARD CLASS/DIVISION:** 8

**UN/NA NUMBER:** UN 1760

**PACKAGING GROUP:** III

**SHIPPING BY WATER:**

**VESSEL (IMO/IMDG)**

**PROPER SHIPPING NAME:** Corrosive Liquid, N.O.S. (Phosphoric Acid and Glycolic Acid)

**HAZARD CLASS/DIVISION:** 8

**UN/NA NUMBER:** UN 1760

**PACKAGING GROUP:** III

**ENVIRONMENTAL HAZARDS WATER:** N/A

**Safety Data Sheet**  
Ice Machine Cleaner

**SECTION XV - REGULATORY INFORMATION**

**TSCA STATUS:** All Chemicals are listed or exempt.

**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):** Phosphoric Acid (7664-38-4)

Reportable Quantity = 5,000 lbs

**SARA 311/312 HAZARD CATEGORIES:** None

**SARA 313 REPORTABLE INGREDIENTS:** None

**CLEAN WATER ACT:** None

**STATE REGULATIONS:** None

**INTERNATIONAL REGULATIONS:** None

**NFPA HEALTH:** 2

**HMIS HEALTH:** 2

**NFPA FLAMMABILITY:** 0

**HMIS FLAMMABILITY:** 0

**NFPA REACTIVITY:** 0

**HMIS REACTIVITY:** 0

**NFPA OTHER:** None

**HMIS PROTECTION:** C

**SECTION XVI - ADDITIONAL INFORMATION**

**PREPARATION BY:** Jonathon Jarvis

**REPLACES:** 05/11/2015

**REVISION DATE:** 05/09/2018

N/A = Not Applicable; N/D = Not Determined

**DISCLAIMER:** To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.